



SAFETY DATA SHEET SHEARZYME 500 L

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SHEARZYME 500 L

Product number 57177

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Biocatalyst

1.3. Details of the supplier of the safety data sheet

Supplier Univar
 Aquarius House
 6 Mid Point Business Park
 Bradford
 BD3 7AY
 +44 1274 267300
 +44 1274 267306
 sds@univar.com

1.4. Emergency telephone number

Sds No. 57177

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Resp. Sens. 1 - H334

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements P261 Avoid breathing vapour/ spray.
 P284 [In case of inadequate ventilation] wear respiratory protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains XYLANASE, ENDO-1,4-

SHEARZYME 500 L

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

XYLANASE, ENDO-1,4-		1 - < 2.5%
CAS number: 9025-57-4	EC number: 232-800-2	REACH registration number: 01-2120747946-38-XXXX
Classification Resp. Sens. 1 - H334		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.
Skin contact	Take off immediately all contaminated clothing and wash it before reuse. Rinse immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing. Shortness of breath. Wheezing/breathing difficulties. Effects may be delayed.
Ingestion	May cause irritation.
Skin contact	May be slightly irritating to skin.
Eye contact	May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Effects may be delayed.
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SHEARZYME 500 L

5.3. Advice for firefighters

Protective actions during firefighting Contain and collect extinguishing water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid handling which leads to dust formation. Avoid the formation of mists. Do not allow to dry out.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Collect and place in suitable waste disposal containers and seal securely. Do not allow to dry out. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid handling which leads to dust formation. Avoid the formation of mists. Avoid breathing vapour/spray. Do not allow to dry out.

Advice on general occupational hygiene When using do not eat, drink or smoke. Take off immediately all contaminated clothing and wash it before reuse. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Store at temperatures between 0°C and 25°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

XYLANASE, ENDO-1,4- (CAS: 9025-57-4)

DMEL

Workers - Inhalation; Long term local effects: 60 ng/m³

8.2. Exposure controls

SHEARZYME 500 L

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Wash after use and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Remove contaminated clothing and protective equipment before entering eating areas. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Use respiratory equipment with particle filter, type P3. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	No information available.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.

SHEARZYME 500 L

Relative density	1.09
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.

9.2. Other information

Other information	Not available.
-------------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
------------	---------------------------

10.2. Chemical stability

Stability	Stable under the prescribed storage conditions.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	None known.
---------------------	-------------

10.5. Incompatible materials

Materials to avoid	None known.
--------------------	-------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No information available.
-----------------------	---------------------------

Skin corrosion/irritation

Skin corrosion/irritation	May be slightly irritating to skin.
---------------------------	-------------------------------------

Serious eye damage/irritation

Serious eye damage/irritation	May be slightly irritating to eyes.
-------------------------------	-------------------------------------

Respiratory sensitisation

Respiratory sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
---------------------------	--

Skin sensitisation

SHEARZYME 500 L

Skin sensitisation	No information available.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	No information available.
<u>Carcinogenicity</u>	
Carcinogenicity	No information available.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	No information available.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	No information available.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	No information available.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
<u>Inhalation</u>	
Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Shortness of breath. Wheezing/breathing difficulties. Coughing. Effects may be delayed.
<u>Ingestion</u>	
Ingestion	May cause irritation.
<u>Skin contact</u>	
Skin contact	May be slightly irritating to skin.
<u>Eye contact</u>	
Eye contact	May be slightly irritating to eyes.
<u>Acute and chronic health hazards</u>	
Acute and chronic health hazards	May cause respiratory allergy.

Toxicological information on ingredients.**XYLANASE, ENDO-1,4-****Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 2,000.0

Notes (oral LD₅₀) LD₅₀ > 2000 mg/kg, Oral, OECD 401 OECD 420

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met. Not irritating. OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met. Not irritating.

Respiratory sensitisation

Respiratory sensitisation Human: Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

SECTION 12: Ecological information

SHEARZYME 500 L

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Toxicity No information available.

Ecological information on ingredients.

XYLANASE, ENDO-1,4-

Acute aquatic toxicity

Acute toxicity - fish	OECD 203 LC ₅₀ , 96 hours: >1000 mg/l mg/l, Fish
Acute toxicity - aquatic invertebrates	OECD 202 EC ₅₀ , 48 hours: >42 mg/l mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: > 1000 mg/l, OECD 203

12.2. Persistence and degradability

Persistence and degradability No information available.

Ecological information on ingredients.

XYLANASE, ENDO-1,4-

Persistence and degradability	The product is readily biodegradable. OECD 301
--------------------------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential No information available.

Partition coefficient No information available.

Ecological information on ingredients.

XYLANASE, ENDO-1,4-

Bioaccumulative potential	The product is not bioaccumulating.
----------------------------------	-------------------------------------

Partition coefficient	log Pow: < 0
------------------------------	--------------

12.4. Mobility in soil

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

SHEARZYME 500 L

General information	Waste is classified as hazardous waste. Do not puncture or incinerate, even when empty. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
-----------------------	--

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

Revision date	20/02/2019
Version number	1.000
SDS number	57177

SHEARZYME 500 L

SDS status	Approved.
Hazard statements in full	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Signature	J Spenceley