



SAFETY DATA SHEET

ORGANIC EUCALYPTUS GLOBULUS OIL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	ORGANIC EUCALYPTUS GLOBULUS OIL
Product number	55445
Synonyms; trade names	EUCALYPTUS GLOBULUS OIL ORGANIC
REACH registration number	01-2119978250-37-XXXX
CAS number	84625-32-1
EC number	283-406-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cosmetics Fragrance Cleaning agent.
-----------------	-------------------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	--

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	55445

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411

2.2. Label elements

EC number	283-406-2
-----------	-----------

Hazard pictograms



Signal word

Danger

ORGANIC EUCALYPTUS GLOBULUS OIL

Hazard statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/ container in accordance with national regulations.
Contains	EUCALYPTOL, 2-PINENE, [1AR-(1AA,4AA,7A,7AB,7BA)]-DECAHYDRO-1,1,7-TRIMETHYL-4-METHYLENE-1H-CYCLOPROP[E]AZULENE, LIMONENE, PARA CYMENE, - ISOVALERALDEHYDE

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.1. Substances

EUCALYPTOL TRT CAS number: 470-82-6 EC number: 207-431-5 REACH registration number: 01-2119967772-24-XXXX Acute Toxicity Estimate (oral): LD ₅₀ 2480 mg/kg, Oral, Rat	30-60%
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317	
2-PINENE CAS number: 80-56-8 EC number: 201-291-9 M factor (Acute) = 1 M factor (Chronic) = 1	10-30%
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
[1AR-(1AA,4AA,7A,7AB,7BA)]-DECAHYDRO-1,1,7-TRIMETHYL-4-METHYLENE-1H-CYCLOPROP[E]AZULENE CAS number: 489-39-4 EC number: 207-694-6	5-10%
Classification Asp. Tox. 1 - H304	

ORGANIC EUCALYPTUS GLOBULUS OIL

LIMONENE			5-10%
CAS number: 138-86-3	EC number: 205-341-0		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
PARA CYMENE			1-5%
CAS number: 99-87-6	EC number: 202-796-7		
Classification Flam. Liq. 3 - H226 Acute Tox. 3 - H331 Repr. 2 - H361 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411			
1-METHYL 4-ISO PROPYL-1-CYCLOHEXEN-8-OL			1-5%
CAS number: 98-55-5	EC number: 202-680-6	REACH registration number: 01-2119980717-23-XXXX	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
-ISOVALERALDEHYDE			<1%
CAS number: 590-86-3	EC number: 209-691-5		
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 STOT SE 3 - H335 Aquatic Chronic 2 - H411			

The full text for all hazard statements is displayed in Section 16.

Product name ORGANIC EUCALYPTUS GLOBULUS OIL

REACH registration number 01-2119978250-37-XXXX

CAS number 84625-32-1

EC number 283-406-2

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

ORGANIC EUCALYPTUS GLOBULUS OIL

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse. Get medical attention if symptoms are severe or persist.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	May be fatal if swallowed and enters airways.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Contact specialist immediately poison treatment if large quantities have been ingested or inhaled
----------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
-------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.
----------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
---------------------------	---

6.3. Methods and material for containment and cleaning up

ORGANIC EUCALYPTUS GLOBULUS OIL

Methods for cleaning up Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Provide adequate ventilation.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid exposure to high temperatures or direct sunlight.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

DNEL

Workers - Dermal; Long term systemic effects: 1 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 3.52 mg/m³
 General population - Oral; Long term systemic effects: 0.5 mg/kg/day
 General population - Inhalation; Long term systemic effects: 0.87 mg/m³
 General population - Dermal; Long term systemic effects: 0.5 mg/kg/day

EUCALYPTOL TRT (CAS: 470-82-6)

DNEL

Workers - Dermal; Long term systemic effects: 2 mg/kg
 Workers - Inhalation; Long term systemic effects: 7.05 mg/kg
 Consumer - Dermal; Long term systemic effects: 1 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 1.74 mg/m³

PNEC

STP; 10 mg/l
 Soil; 0.2 mg/kg
 Fresh water; 0.057 mg/l
 marine water; 0.0057 mg/l
 Sediment (Freshwater); 0.06732 mg/kg
 Sediment (Marinewater); 0.00673 mg/kg

LIMONENE (CAS: 138-86-3)

Ingredient comments No exposure limits known for ingredient(s).

ORGANIC EUCALYPTUS GLOBULUS OIL

DNEL	Workers - Dermal; Short term : 222 µg/cm² Workers - Inhalation; Long term : 33.3 mg/m³ General population - Dermal; Short term : 111 µg/cm² General population - Inhalation; Long term : 8.33 mg/m³ General population - Oral; Long term : 4.76 mg/kg
PNEC	Fresh water; 5.4 µg/l marine water; 0.54 µg/l STP; 1.8 mg/l Sediment (Freshwater); 1.649 mg/kg/day Sediment (Marinewater); 0.165 mg/kg/day Soil; 0.328 mg/kg

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. If ventilation is inadequate, suitable respiratory protection must be worn. Respirator with ABEK filter. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	No information available.
pH	No information available.
Melting point	-20°C
Initial boiling point and range	153 - 184°C
Flash point	49°C
Evaporation rate	No information available.

ORGANIC EUCALYPTUS GLOBULUS OIL

Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	115 Pa @ 20°C
Vapour density	No information available.
Relative density	0.911 @ 20°C
Bulk density	No information available.
Solubility(ies)	Insoluble in water.
Partition coefficient	log Pow: 4.42
Auto-ignition temperature	270°C
Decomposition Temperature	No information available.
Viscosity	< 20.5 mm ² /s @ 40°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 100 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

ORGANIC EUCALYPTUS GLOBULUS OIL

Materials to avoid Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 2,272.73

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation

Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion

May be fatal if swallowed and enters airways.

Skin contact

Causes skin irritation. May cause an allergic skin reaction.

Eye contact

Causes serious eye irritation.

Toxicological information on ingredients.

EUCALYPTOL TRT

Acute toxicity - oral

ORGANIC EUCALYPTUS GLOBULUS OIL

Acute toxicity oral (LD₅₀ mg/kg) 2,480.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 2480 mg/kg, Oral, Rat

ATE oral (mg/kg) 2,480.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation No information available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

ORGANIC EUCALYPTUS GLOBULUS OIL

Skin contact	May cause an allergic skin reaction.
Eye contact	May cause temporary eye irritation.

2-PINENE**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 500.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 3700 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rat

Notes (dermal LD₅₀) LD₅₀ 5000 mg/kg, Dermal, Rat

ATE dermal (mg/kg) 5,000.0

Inhalation May cause respiratory system irritation.

Ingestion Harmful: may cause lung damage if swallowed.

Skin contact May cause sensitisation by skin contact.

Eye contact Irritating to eyes.

LIMONENE**Skin corrosion/irritation**

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

ORGANIC EUCALYPTUS GLOBULUS OIL

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Inhalation Irritating to respiratory system. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed.

Skin contact Irritating to skin. May cause an allergic skin reaction.

Eye contact May cause temporary eye irritation.

PARA CYMENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,669.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 3669 mg/kg, Oral, Rat

ATE oral (mg/kg) 3,669.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion May be fatal if swallowed and enters airways.

Skin contact Liquid may irritate skin. Repeated exposure may cause skin dryness or cracking.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

1-METHYL 4-ISO PROPYL-1-CYCLOHEXEN-8-OL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,300.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 4300 mg/kg, Oral, Rat

ATE oral (mg/kg) 4,300.0

ORGANIC EUCALYPTUS GLOBULUS OIL

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 3000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin. Rabbit

Serious eye damage/irritation

Serious eye damage/irritation Irritating to eyes. Rabbit

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 314 mg/kg, Oral, Rat (90 days ; 7 days/week)

p-MENTHA-1,5-DIENE

Inhalation May cause respiratory system irritation.

Ingestion Swallowing concentrated chemical may cause severe internal injury.

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact Irritating to eyes.

CIS-PARA-MENTHADIENOL

Acute toxicity - oral

ATE oral (mg/kg) 500.0

DL-BORNEOL

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 1.5

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

EUCALYPTOL TRT

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

2-PINENE

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

ORGANIC EUCALYPTUS GLOBULUS OIL

LIMONENE

Ecotoxicity Very toxic to aquatic life with long lasting effects.

PARA CYMENE

Ecotoxicity Toxic to aquatic life with long lasting effects.

p-MENTHA-1,5-DIENE

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Toxic to aquatic life.

Ecological information on ingredients.

EUCALYPTOL TRT

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 102 mg/l, Fish

2-PINENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic invertebrates LC₅₀, 48 hour: 6.74 mg/l, Daphnia magna

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

LIMONENE

Toxicity Very toxic to aquatic organisms.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.702 - 0.720 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 70 mg/l, Daphnia magna

Acute toxicity - aquatic plants ErC₅₀, 72 hours: 8 mg/l, Algae

Chronic aquatic toxicity

ORGANIC EUCALYPTUS GLOBULUS OIL

M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.27 mg/l, Daphnia magna

PARA CYMENE

Toxicity	Toxic to aquatic life.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 96 hour: 48 ppm, Fish
Acute toxicity - aquatic invertebrates	LC ₅₀ , 48 hour: 6500 µg/l, Daphnia magna

1-METHYL 4-ISO PROPYL-1-CYCLOHEXEN-8-OL

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 96 hour: 70 mg/l, Fish OECD 203
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: 73 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	EC ₅₀ , 72 hour: 68 mg/l, Algae OECD 201 Chronic, NOEC, 72 hour: 3.9 mg/l, Algae OECD 201

DL-BORNEOL

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	Chronic, NOEC, 21 day: 0.011 mg/l, Fish
Acute toxicity - aquatic plants	Chronic, NOEC, 72 hour: 0.011 mg/l, Algae
<u>Chronic aquatic toxicity</u>	
Chronic toxicity - aquatic invertebrates	Chronic, NOEC, 21 day: 0.011 mg/l, Daphnia magna

(Z)-3,7-DIMETHYLOCTA-1,3,6,-TRIENE

<u>Acute aquatic toxicity</u>	
LE(C) ₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

EUCALYPTOL TRT

Persistence and degradability	The substance is readily biodegradable.
-------------------------------	---

ORGANIC EUCALYPTUS GLOBULUS OIL

2-PINENE

Persistence and degradability The product is readily biodegradable.

LIMONENE

Persistence and degradability The product is not expected to be biodegradable.

PARA CYMENE

Persistence and degradability There are no data on the degradability of this product.

1-METHYL 4-ISO PROPYL-1-CYCLOHEXEN-8-OL

Persistence and degradability The product is readily biodegradable.

Biodegradation - Degradation 80%: 28 day

DL-BORNEOL

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 4.42

Ecological information on ingredients.

EUCALYPTOL TRT

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 2.97

LIMONENE

Bioaccumulative potential BCF: 490 - 1460,

Partition coefficient log Pow: 4.59

PARA CYMENE

Bioaccumulative potential No data available on bioaccumulation.

1-METHYL 4-ISO PROPYL-1-CYCLOHEXEN-8-OL

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient log Pow: 2.67

12.4. Mobility in soil

Mobility No information available.

ORGANIC EUCALYPTUS GLOBULUS OIL

Ecological information on ingredients.

EUCALYPTOL TRT

Mobility The product is insoluble in water.

2-PINENE

Mobility The product is insoluble in water.

LIMONENE

Mobility The product is insoluble in water.

PARA CYMENE

Mobility Not determined.

p-MENTHA-1,5-DIENE

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

EUCALYPTOL TRT

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

LIMONENE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

PARA CYMENE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

EUCALYPTOL TRT

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

LIMONENE

Other adverse effects No information available.

ORGANIC EUCALYPTUS GLOBULUS OIL

PARA CYMENE

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Do not puncture or incinerate, even when empty. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General Wear protective clothing as described in Section 8 of this safety data sheet.

14.1. UN number

UN No. (ADR/RID)	1197
UN No. (IMDG)	1197
UN No. (ICAO)	1197
UN No. (ADN)	1197

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	EXTRACTS, LIQUID
Proper shipping name (IMDG)	EXTRACTS, LIQUID
Proper shipping name (ICAO)	EXTRACTS, LIQUID
Proper shipping name (ADN)	EXTRACTS, LIQUID

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

ORGANIC EUCALYPTUS GLOBULUS OIL

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 3

Emergency Action Code •3YE

Hazard Identification Number 33
(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to No information required.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
This product may impact SEVESO storage regulations.

Restrictions (Annex XVII Regulation 1907/2006) This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES. Entry number: 3

Seveso Directive - Control of major accident hazards P5c E2

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Canada - DSL/NDL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

ORGANIC EUCALYPTUS GLOBULUS OIL

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines – PICCS

All the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

ORGANIC EUCALYPTUS GLOBULUS OIL

Key literature references and sources for data	Supplier's information.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	30/05/2023
Version number	3.000
Supersedes date	25/08/2021
SDS number	55445
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
Signature	Jitendra Panchal

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.