

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 26-Mar-2019

Revision date 15-Apr-2026

Revision Number 4.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 12529

Safety data sheet number 12529

Product Name ISOPAR J

Pure substance/mixture Mixture

Contains HYDROCARBONS, C11-C12, ISOALKANES, < 2% AROMATICS, HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS

Molecular weight 162

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

- Cleaning agent
- Surface coating
- Lubricant
- Laboratory chemicals
- Production of Rubber
- Polymer production
- Water treatment chemical
- Agriculture
- Construction materials
- Personal care
- Cosmetics
- Perfumes, fragrances

For further information, see attached Exposure Scenario

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 3 - (H226)
Aspiration hazard	Category 1 - (H304)

2.2. Label elements

Contains HYDROCARBONS, C11-C12, ISOALKANES, < 2% AROMATICS, HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS



Signal word

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

H226 - Flammable liquid and vapour

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves and eye/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Product is a static accumulator. Vapours can form explosive mixtures with air. Vapours may travel to source of ignition and flash back.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
HYDROCARBONS,	50 - 60%	918-167-1	UK-01-7096030383-5-	Asp. Tox. 1 (H304)	-	-	-

C11-C12, ISOALKANES, < 2% AROMATICS -			XXXX	Flam. Liq. 3 (H226)			
HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS -	50 - 60%	920-901-0	UK-01-8511566070-7-XXXX	Asp. Tox. 1 (H304)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation occurs: Get medical advice/attention.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
Inhalation	May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Dermal	Repeated exposure may cause skin dryness or cracking.
Ingestion	May be fatal if swallowed and enters airways Risk of chemical pneumonia after aspiration.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is a static accumulator.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Cool containers with flooding quantities of water until well after fire is out. Do not allow runoff to sewer, waterway or ground.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid contact with skin, eyes and inhalation of vapours. In case of inadequate ventilation wear respiratory protection.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Product is a static accumulator.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Vapour: 1200 mg/m³, 8 hr TWA, Manuf.data.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation. Use explosion-proof ventilating equipment.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Wear safety glasses with side shields (or goggles). According to EN 16321-1.

Hand protection Wear suitable gloves. Impervious gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Nitrile rubber	>= 0.38 mm	480 minutes

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection In case of inadequate ventilation or when the product is heated, use suitable respiratory equipment with gas filter (type A2).

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Take off all contaminated clothing and wash it before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear liquid
Colour	Colourless
Odour	Slight.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No information available.
Initial boiling point and boiling range	182 - 270 °C	
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits	6.0	
Lower flammability or explosive limits	0.6	
Flash point	> 59 °C	
Autoignition temperature	> 222 °C	
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	1.2 cSt	@ 40 °C.
Dynamic viscosity	1.6 cSt	@ 25.0 °C.

Water solubility	Insoluble in water	
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure	0.06 kPa	@ 20 °C.
Relative density	0.76	15 °C. Calculation method.
Bulk density		No information available
Liquid Density	760 kg/m ³	
Relative vapour density	5.6	
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	
9.2. Other information		
Molecular weight	162	
Coefficient Water/Oil Distribution	> 4 0.05	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product:. Strong oxidising agents.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract. Inhalation of vapours in high concentration may cause irritation of respiratory system. May cause central nervous system depression.

Eye contact

Specific test data for the substance or mixture is not available. May cause irritation. May cause slight eye irritation.

Skin contact

Repeated exposure may cause skin dryness or cracking.

Ingestion

Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms**

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROCARBONS, C11-C12, ISOALKANES, < 2% AROMATICS	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS	> 15000 mg/kg	> 2200 mg/kg	> 5.4 mg/l (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Mild skin irritant

Serious eye damage/eye irritation May cause slight eye irritation.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

Respiratory or skin sensitisation Based on available data the classification criteria are not met.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Exposure route	Results
			Not classified

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Component Information

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Results
--------	---------	---------

	in vitro	Not mutagenic
--	----------	---------------

Carcinogenicity No information available.

Reproductive toxicity Based on available data the classification criteria are not met.

STOT - single exposure No information available.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		Inhalation			Some positive data exist, but the data are not sufficient for classification

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Not considered to be harmful to aquatic life.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Green Algae	EL50	> 1000 mg/L	72 hours	
	Oncorhynchus mykiss (rainbow trout)	LL50	> 1000 mg/L	96 hours	
	Water flea	EL50	> 1000 mg/L	48 hours	
	Green Algae	NOEL	1000 mg/L	72 hours	

12.2. Persistence and degradability

Persistence and degradability Inherently Biodegradable.

HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS (-)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	Biodegradation 31.1%	Inherently Biodegradable

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
HYDROCARBONS, C11-C12, ISOALKANES, < 2% AROMATICS	The substance is not PBT / vPvB
HYDROCARBONS, C11 - C13, ISOALKANES, <2% AROMATICS	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of waste in accordance with environmental legislation. Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number UN3295
 14.2 UN proper shipping name HYDROCARBONS, LIQUID, N.O.S.
 14.3 Transport hazard class(es) 3
 14.4 Packing group III
 14.5 Environmental hazards No
 14.6 Special precautions for user
 Special Provisions A324, A3
 ERG Code 3L

IMDG

14.1 UN number or ID number UN3295
 14.2 UN proper shipping name HYDROCARBONS, LIQUID, N.O.S.
 14.3 Transport hazard class(es) 3
 14.4 Packing group III
 14.5 Environmental hazards No
 14.6 Special precautions for user
 Special Provisions 223
 EmS-No F-E, S-D
 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number	UN3295
14.2 UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S.
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
Classification code	F1

ADR

14.1 UN number or ID number	UN3295
14.2 UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S.
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
Classification code	F1
Tunnel restriction code	(D/E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Jitendra Panchal

Supersedes date 26-Mar-2019

Revision date 15-Apr-2026

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet