

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Revision date 22-Dec-2023

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 66416
Safety data sheet number 66416
Product Name DOWSIL 1184 LC FLUID

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cosmetics

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 3 - (H226)
-------------------	---------------------

2.2. Label elements

**Signal word**

Warning

Hazard statements

H226 - Flammable liquid and vapour

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
DECAMETHYLTETRASILOXANE 141-62-8	>= 20.0 - <= 39.0 %	205-491-7	01-8861129485-6	Flam. Liq. 3 (H226)	-	-	-
OCTAMETHYLTRISILOXANE 107-51-7	>= 24.0 - <= 36.0 %	203-497-4	01-4273948457-6	Flam. Liq. 3 (H226)	-	-	-
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	<= 0.038 %	209-136-7 (014-018-00-1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	10	10

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Eyes	May cause temporary eye irritation.
------	-------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
-----------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Alcohol resistant foam. Dry chemical. Dry sand.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Flash back possible over considerable distance. Flammable mixtures may exist within the vapor space of containers at room temperature. Closed containers can burst violently when heated, due to excess pressure build-up. Fire burns more vigorously than would be expected. Vapours may form explosive mixtures with air.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Remove all sources of ignition. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Ground and bond container and receiving equipment. Vapours may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.
Other information	Ventilate the area.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Use non-sparking tools. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Suppress (knock down) gases/vapours/mists with a water spray jet. Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Keep container closed when not in use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous. Use spark-proof tools and explosion-proof equipment. Ground and bond container and receiving equipment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Keep away from open flames, hot surfaces and sources of ignition. Do not store together with. Strong oxidising agents. Organic peroxide. Flammable solid. Pyrophoric liquids. Pyrophoric solids. Self-heating substances and mixtures. Substances and mixtures, which in contact with water, emit flammable gases. Explosives. Gases.
---------------------------	---

7.3. Specific end use(s)**Specific use(s)**

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
DECAMETHYLTETRASILOXANE 141-62-8		1449 mg/kg bw/day [4] [6]	102 mg/m ³ [4] [6]
OCTAMETHYLTRISILOXANE 107-51-7		1103 mg/kg bw/day [4] [6]	78 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
DECAMETHYLTETRASILOXANE 141-62-8	0.04 mg/kg bw/day [4] [6]	730.5 mg/kg bw/day [4] [6]	25 mg/m ³ [4] [6]
OCTAMETHYLTRISILOXANE 107-51-7	0.04 mg/kg bw/day [4] [6]	556.5 mg/kg bw/day [4] [6]	19 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	0.0015 mg/l		0.00015 mg/l		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
DECAMETHYLTETRASIL OXANE 141-62-8	8.9 mg/kg sediment dw	0.89 mg/kg sediment dw	1 mg/L	3.34 mg/kg	1.7 mg/kg food
OCTAMETHYLTRISILOX ANE 107-51-7	8.9 mg/kg sediment dw	0.89 mg/kg sediment dw	1 mg/L	0.5 mg/kg soil dw	1.7 mg/kg food
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 60 minutes
	Rubber (natural, latex)	> 0.35 mm	> 60 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 60 minutes
	Wear protective nitrile rubber gloves	> 0.35 mm	> 60 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 60 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 60 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact. Antistatic footwear.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type AP2.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Colourless
Odour	Odourless.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		No information available.
Initial boiling point and boiling range	190 °C	@ 760 mmHg.
Flammability		Not applicable.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	52 °C	Pensky-Martens Closed Cup (PMCC).
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		Not applicable. Insoluble in water.
pH (as aqueous solution)		No information available.
Kinematic viscosity	1.5 mm ² /s	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility	Insoluble in water	
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure	760 mmHg	@ 180 °C.
Relative density	0.85	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No known effects under normal use conditions.
------------	---

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	The following materials may react with the product: Strong oxidising agents. Vapours may form explosive mixtures with air. Flammable liquid and vapour.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Take precautionary measures against static discharges. Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Silicon oxides. Formaldehyde.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation Inhalation of vapours in high concentration may cause irritation of respiratory system.

Eye contact May cause temporary eye irritation.

Skin contact Non-irritating during normal use.

Ingestion Gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) > 2000 mg/kg

ATEmix (dermal) > 2000 mg/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DECAMETHYLTETRASILOXANE	2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 5080 mg/m ³ (Rat) 6 h
OCTAMETHYLTRISILOXANE	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 22.6 mg/L (Rat) 4 h
OCTAMETHYLCYCLOTETRASILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rabbit)	= 36 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Non-irritating during normal use.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

Serious eye damage/eye irritation May cause temporary eye irritation.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Results
	in vitro	Negative

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Component Information

DECAMETHYLTETRASILOXANE (141-62-8)

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Results
		Did not cause cancer in laboratory animals.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

Reproductive toxicity No information available.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

OCTAMETHYLTRISILOXANE (107-51-7)

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

STOT - single exposure No information available.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					This material contains decamethyltetrasiloxane (L4). Repeated oral exposure in rats to L4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Liver This material contains octamethyltrisiloxane (L3). Repeated inhalation exposure in rats to L3 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

STOT - repeated exposure

No information available.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target

					organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.
--	--	--	--	--	---

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

Aspiration hazard

Based on available data the classification criteria are not met.

Other adverse effects

No information available.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.0063 mg/L	96 hours	
	Daphnia magna	EC50	> 0.0055 mg/L	48 hours	
	Pseudokirchneriella subcapitata	EC50	> 0.0022 mg/L	72 hours	
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	EC50	> 100 mg/L	3 hours	
Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.0056 mg/L	14 days	
Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.0056 mg/L	14 days	

Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.0079 mg/L	90 days	
Chronic toxicity	Daphnia magna	NOEC	0.0049 mg/L	21 days	

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.0191 mg/L	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	> 0.02 mg/L	48 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Pseudokirchneriella subcapitata	EC50	> 0.0094 mg/L	72 hours	
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	EC50	> 100 mg/L	3 hours	
	Oncorhynchus mykiss (rainbow trout)	NOEC	> 0.027 mg/L	90 days	
	Daphnia magna	NOEC	> 0.015 mg/L	21 days	

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
	Pseudokirchneriella subcapitata	EC10	≥ 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	
					Based on testing of comparable products: The estimated maximum aqueous concentration of Octamethyl Cyclotetrasiloxane (D4) from migration to water from the product as supplied is below the D4 established no-effect threshold (< 0.0079 mg/L) for aquatic

					organisms.
--	--	--	--	--	------------

12.2. Persistence and degradability

Persistence and degradability No information available.

DECAMETHYLTETRASILOXANE (141-62-8)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 0%	Not readily biodegradable

OCTAMETHYLTRISILOXANE (107-51-7)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 0%	Not applicable

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
DECAMETHYLTETRASILOXANE	8.21
OCTAMETHYLTRISILOXANE	5.35
OCTAMETHYLCYCLOTETRASILOXANE	6.49

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
DECAMETHYLTETRASILOXANE	The substance is not PBT / vPvB
OCTAMETHYLTRISILOXANE	The substance is not PBT / vPvB
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE, DECAMETHYLTETRASILOXANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	A3
ERG Code	3L

IMDG

14.1 UN number or ID number	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE, DECAMETHYLTETRASILOXANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	223, 274, 955
EmS-No	F-E, S-E
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE, DECAMETHYLTETRASILOXANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	274, 601
Classification code	F1

ADR

14.1 UN number or ID number	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE, DECAMETHYLTETRASILOXANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	274, 601
Classification code	F1
Tunnel restriction code	(D/E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
OCTAMETHYLCYCLOTETRAILOXANE - 556-67-2	Use restricted. See item 70.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories**TSCA**

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECL

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

NZIoC

Contact supplier for inventory compliance status

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**15.2. Chemical safety assessment****Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

+ Sensitisers

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Method Used

Acute oral toxicity

Calculation method

Acute dermal toxicity

Calculation method

Acute inhalation toxicity - gas

Calculation method

Acute inhalation toxicity - vapour

Calculation method

Acute inhalation toxicity - dust/mist

Calculation method

Skin corrosion/irritation

Calculation method

Serious eye damage/eye irritation

Calculation method

Respiratory sensitisation

Calculation method

Skin sensitisation

Calculation method

Mutagenicity

Calculation method

Carcinogenicity

Calculation method

Reproductive toxicity

Calculation method

STOT - single exposure

Calculation method

STOT - repeated exposure

Calculation method

Acute aquatic toxicity

Calculation method

Chronic aquatic toxicity

Calculation method

Aspiration hazard

Calculation method

Ozone

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By

Lisa Bland

Revision date

22-Dec-2023

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet